

Icecom SwitchBoard

Version 2.0

WWW Browser's Settings



Icecom SwitchBoard software is based on technology developed by Icecom Ltd. Icecom reserves the right to make changes in the content of the software. The company is not obliged to give notification of any possible changes. Icecom accepts no liability for any possible errors in the software. Icecom is not responsible for the operability of the software with all kinds of hardware; nor does it guarantee protection against possible computer viruses or any attempts against security.

This manual was made for Icecom SwitchBoard version 2.0.

Icecom Ltd reserves the right to change the content of the publication without special notice.

The names and phone numbers used in the publication are fictional.

Copyright © 2005 Icecom Ltd. All rights reserved.

PostgreSQL Database Management System
(formerly known as Postgres then as Postgres95)

Portions Copyright(c) 1996-2002, the PostgreSQL Global Development Group

Portions Copyright(c) 1994, the Regents of the University of California

Permission to use, copy, modify, and distribute this software and its documentation for any purpose, without fee, and without a written agreement is hereby granted, provided that the above copyright notice and this paragraph and the following two paragraphs appear in all copies.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATIONS TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.



CONTENTS

INTRODUCTION

SETTING UP REMOTE WWW BROWSER USING THE APPLICATION.....	5
1 Internet Explorer	5
2 Netscape	5
3 Mozilla	5
3.1 Mozilla in Linux	5
3.2 Mozilla in Windows	6



INTRODUCTION

This installation manual was made for Icecom SwitchBoard version 2.0, for installing the settings of WWW browsers.

In this document, commands are marked **in bold** and they begin with the symbol #. (**Please note!** The # symbol is not to be typed in a command to be entered during the installation!) The names of files and directories are written in the Verdana font. Internet addresses are underlined and lines to be added are written *in italics*.

The installation kits explained in this manual should be installed in the order in which they are explained, in order to guarantee the best possible operability for the system.

Please note!

The instructions for configuring Asterisk and for installing the Debian operating system can be found in the previous documents.



SETTING UP REMOTE WWW BROWSER USING THE APPLICATION

In order to ensure the operability of the WWW browser, Java Virtual Machine and Java Applet support must be installed in the computer in which the Icecom SwitchBoard software is used.

1 Internet Explorer

The installation file for J2SE Runtime Environment can be found in the <http://java.sun.com/j2se/1.5.0/download.jsp> by the name `jre-1_5_0_04-windows-i586-p.exe`. Install the file by clicking on its name.

In the browser's Tools menu, select Internet Options. In the opening window, select the Settings button under the header Temporary Internet Files on the General sheet. In the window that then opens, select the option "Every visit to the page". In addition, on the Advanced sheet tick the box "Use JRE 1.5.0 for <applet> (requires restart)" under "Java (Sun)". If necessary close and re-open the browser in order to validate the settings.

2 Netscape

The J2SE Runtime Environment installation file can be found in the <http://java.sun.com/j2se/1.5.0/download.jsp> of the installation kit by the name `jre-1_5_0_04-windows-i586-p.exe`. Install the file by double-clicking on its name.

In addition, select Preference in the Edit menu. On the opening page, select "Every time I view the page" under Cache on the Advanced sheet. More information on the installation can be found in the Help menu by selecting About Plugins.

3 Mozilla

3.1 Mozilla in Linux

In order to work, the Mozilla Internet browser requires the Java plug-in. The installation file meant for the Linux operating system can be found in the <http://java.sun.com/j2se/1.5.0/download.jsp> of the installation kit by the name `jre-1_5_0_04-linux-i586-rpm.bin`. The file is installed with the commands:

```
# ./jre-1_5_0_04-linux-i586-rpm.bin  
# rpm -ivh jre-1_5_0_04-linux-i586.rpm
```



After the installation, go to the directory /usr/lib/mozilla/plugins, and create a link with the command:

```
# ln -s /usr/java/jre1.5.0_04/plugin/i386/ns7/libjavaplugin_oji.so .
```

Note! Dot as the last parameter of the command!

In addition, select Preferences in the Edit menu. On the opening page, select "Every time I view the page" under Cache on the Advanced sheet. More information on the installation can be found in the Mozilla Internet browser's Help menu by selecting About Plugins.

3.2 Mozilla in Windows

The J2SE Runtime Environment installation file can be found in the Windows_package directory of the installation kit by the name jre-1_5_0_04-windows-i586-p.exe. Install the kit by double-clicking on the filename.

In addition, select Preferences in the Edit menu. On the opening page, select "Every time I view the page" under Cache on the Advanced sheet. More information on the installation can be found in the Mozilla Internet browser's Help menu by selecting About Plugins.

